```
FEB 1 1 2002 SE QUENCE LISTING
    <110>
           Ye, Bango
    <120>
           MEDIUM AND LOW DENSITY GENE CHIPS
    <130>
           JNB 100
    <160>
           70
    <170>
           PatentIn version 3.1
    <210>
           1
    <211>
           18
    <212>
          DNA
    <213>
           artificial sequence
    <220>
    <223>
           Beta (27-28) 1 DNA probe
    <400>
           1
    tggtgaggcc ctgggcag
<210>
           2
    <211>
          18
    <212> DNA
    <213>
           artificial sequence
    <220>
    <223>
           Beta (27-28) 2 DNA probe
    <400>
           2
    ggtgaggccc ctgggcag
   <210>
           3
    <211>
          17
    <212>
          DNA
          artificial sequence
   <213>
   <220>
   <223>
          Beta (43) 1 DNA probe
   <400>
   ggttctttga gtccttt
```

```
The best for the ten tend to the tend to t
```

17

```
<210>
      4
<211> 17
<212> DNA
<213> artificial sequence
<220>
<223>
       Beta (43) 2 DNA probe
<400>
      4
ggttctttta gtccttt
   17
<210>
       5
<211>
      17
<212> DNA
<213> artificial sequence
<220>
<223>
      Beta (42 + T) 2 DNA probe
<400>
      5
aggttctttt gagtcct
   17
<210>
       6
<211>
      15
<212> DNA
<213>
      artificial sequence
<220>
<223>
       IVS (2-1) 1 DNA probe
<400>
       6
cttcagggtg agtct
   15
<210>
      7
<211>
      15
<212>
      DNA
<213>
      artificial sequence
<220>
```

```
<223>
       IVS (2-1) 2 DNA probe
 <400>
       7
cttcaggatg agtct
    15
<210>
       8
<211>
       20
<212>
       DNA
<213>
       artificial sequence
<220>
<223>
       Beta (1) 1 DNA probe
<400>
       8
acagacacca tggtgcacct
   20
<210>
       9
<211>
       20
<212> DNA
<213>
       artificial sequence
<220>
<223>
       Beta (1) 2 DNA probe
<400>
       9
acagacacca gggtgcacct
   20
<210>
      10
<211>
      15
<212>
      DNA
       artificial sequence
<213>
<220>
<223>
       Beta (8) 1 DNA probe
<400>
       10
gaggagaagt ctgcc
   15
<210>
       11
<211>
       15
```

```
<212> DNA
<213> artificial sequence
<220>
<223>
      Beta (8) 2 DNA probe
<400>
      11
tgaggaggtc tgccg
   15
<210>
      12
<211> 15
<212> DNA
<213> artificial sequence
<220>
<223>
      Beta (8-9) 2 DNA probe
<400>
      12
aggagaaggt ctgcc
   15
<210>
      13
<211> 15
<212> DNA
<213> artificial sequence
<220>
<223>
       Beta (37) 1 DNA probe
<400>
       13
tacccttgga cccag
   15
<210>
      14
<211>
      15
<212>
      DNA
<213>
      artificial sequence
<220>
<223>
      Beta (37) 2 DNA probe
<400>
      14
tacccttaga cccag
   15
```

```
the first two the first that the first that the first the first that the first th
```

```
<210> 15
<211> 17
<212> DNA
<213> artificial sequence
<220>
<223>
      P (+40-43) 1 DNA probe
<400> 15
gcaacctcaa acagaca
   17
<210>
       16
<211>
       17
<212>
      DNA
<213> artificial sequence
<220>
<223>
      P (+40-43) 2 DNA probe
<400>
       16
agcaacctca gacacca
   17
<210>
       17
<211>
       17
<212> DNA
<213> artificial sequence
<220>
<223>
      P (Beta 31, IVS1) 1 DNA probe
<400>
      17
cacccttagg ctgctgg
   17
<210>
      18
<211>
      17
<212> DNA
      artificial sequence
<213>
<220>
<223> P (IVS1) 2 DNA probe
```

```
<400> 18
    cccaccctga ggctgct
       17
    <210>
          19
    <211> 17
    <212> DNA
    <213> artificial sequence
    <220>
    <223> Beta (31) 2 DNA probe
    <400> 19
    cccttaggtg ctggtgg
ide. Me.
       17
<210> 20
    <211> 15
    <212> DNA
    <213> artificial sequence
Name and
    <220>
    <223> P (cap+1) 1 DNA probe
ind.
    <400> 20
    attgcttaca tttgc
15
    <210> 21
    <211> 15
    <212> DNA
    <213>
          artificial sequence
    <220>
    <223> P (cap+1) 2 DNA probe
    <400>
          21
    attgcttcca tttgc
       15
    <210>
           22
    <211>
           15
    <212>
          DNA
```

```
<213>
          artificial sequence
    <220>
    <223>
          Beta (19) 1 DNA probe
    <400> 22
    aaggtgaacg tggat
       15
    <210>
          23
    <211> 15
    <212> DNA
    <213> artificial sequence
    <220>
III. III.
    <223>
          Beta (19) 2 DNA probe
Man will Rom
    <400>
          23
    aaggtgagcg tggat
       15
ş
<210>
          24
    <211>
          15
    <212> DNA
ļ, i,
    <213> artificial sequence
mä.
<220>
    <223>
          Beta (95+A) 1 DNA probe
    <400>
          24
    ctgtgacaag ctgca
       15
    <210> 25
    <211>
          15
    <212> DNA
    <213> artificial sequence
    <220>
    <223>
           Beta (95+A) 2 DNA probe
    <400>
          25
    tgtgacaaag ctgca
       15
```

```
<210>
                                                         26
                        <211> 15
                        <212> DNA
                        <213> artificial sequence
                       <220>
                       <223>
                                                              IVS (2-5) 1 DNA probe
                       <400>
                                                              26
                       agggtgagtc tatgg
                                         15
                       <210>
                                                              27
the first time with the same the same than t
                       <211>
                                                              15
                       <212> DNA
                       <213>
                                                          artificial sequence
                      <220>
                       <223>
                                                              IVS (2-5) 2 DNA probe
                       <400>
                                                              27
agggtgactc tatgg
                                       15
Į.i.
ļ.
                       <210>
                                                              28
                       <211>
                                                              16
                       <212>
                                                            DNA
                       <213>
                                                              artificial sequence
                       <220>
                       <223>
                                                            Beta (41-42) 1 DNA probe
                      <400>
                                                         28
                      cagaggttct ttgagt
                                       16
                      <210>
                                                            29
                      <211>
                                                         16
                      <212>
                                                        DNA
                      <213>
                                                            artificial sequence
                      <220>
                      <223> Beta (41-42) 2 DNA probe
```

```
<400> 29
    cagaggttga gtcctt
        16
    <210>
           30
    <211>
           15
    <212> DNA
    <213> artificial sequence
    <220>
    <223>
            IVS (2-654) 1 DNA probe
    <400>
            30
    gttaaggcaa tagca
the first and the the facts that the
       15
    <210>
            31
    <211>
           15
    <212>
           DNA
    <213>
           artificial sequence
    <220>
    <223>
           IVS (2-654) 2 DNA probe
¥4
    <400> 31
    gttaaggtaa tagca
       15
    <210>
           32
    <211>
           18
    <212> DNA
    <213>
          artificial sequence
    <220>
    <223>
           Beta (17) 1 DNA probe
    <400>
           32
    ctgtggggca aggtgaac
       18
    <210>
           33
   <211> 18
   <212> DNA
   <213> artificial sequence
```

```
<220>
<223>
      Beta (17) 2 DNA probe
<400>
       33
ctgtggggct aggtgaac
   18
<210>
      34
<211> 15
<212> DNA
<213> artificial sequence
<220>
<223>
      Beta (71-72) 1 DNA probe
<400>
      34
tgcctttagt gatgg
   15
<210>
       35
<211>
      15
<212> DNA
<213>
      artificial sequence
<220>
<223>
      Beta (71-72) 2 DNA probe
<400>
       35
tgcctttaag tgatg
   15
<210>
      36
<211>
      15
<212>
      DNA
<213>
      artificial sequence
<220>
<223>
      Beta (71-72) 3 DNA probe
<400>
       36
tgccttttag tgatg
   15
```

```
<210> 37
    <211> 15
    <212> DNA
    <213> artificial sequence
    <220>
    <223>
           IVS (1-5) 1 DNA probe
    <400>
           37
    caggttggta tcaag
       15
    <210>
          38
    <211>
          15
    <212>
          DNA
artificial sequence
    <213>
    <220>
    <223>
           IVS (1-5) 2 DNA probe
    <400>
          38
    caggttgcta tcaag
       15
    <210>
           39
    <211>
           15
    <212>
          DNA
    <213>
          artificial sequence
    <220>
    <223>
           IVS (1-1) 1 DNA probe
    <400>
           39
    tgggcaggtt ggtat
       15
    <210>
           40
    <211>
          15
    <212> DNA
          artificial sequence
    <213>
    <220>
    <223>
           IVS (1-1) 2 DNA probe
    <400>
           40
```

```
death field that yet only then each cash the first only of the first task
```

```
tgggcagttt ggtat
   15
<210> 41
<211> 15
<212> DNA
<213> artificial sequence
<220>
<223> Beta (30) 2 DNA probe
<400> 41
ctgggcgggt tggta
   15
<210> 42
<211> 15
<212> DNA
<213> artificial sequence
<220>
<223> P (-28) 1 DNA probe
<400>
     42
gggcataaga gtcag
   15
<210> 43
<211> 15
<212> DNA
<213> artificial sequence
<220>
<223> P (-28) 2 DNA probe
<400> 43
gggcatagga gtcag
   15
<210> 44
<211> 15
<212> DNA
<213> artificial sequence
```

```
the start per the result will the start of t
```

```
<220>
<223>
      P (-29) 2 DNA probe
<400>
      44
tgggcatgga agtca
   15
<210>
      45
<211>
      15
<212> DNA
<213> artificial sequence
<220>
<223> P (-30) 1 DNA probe
<400>
      45
ctgggcataa aagtc
   15
<210>
       46
<211>
       15
<212> DNA
<213> artificial sequence
<220>
<223>
      P (-30) 2 DNA probe
      46
<400>
ctgggcacaa aagtc
   15
<210>
       47
<211>
      15
<212> DNA
<213> artificial sequence
<220>
<223>
      P (-31) 2 DNA probe
<400>
       47
gctgggcgta aaagt
   15
```

<210> 48

```
<211> 15
    <212> DNA
    <213> artificial sequence
    <220>
    <223> P (-32) 2 DNA probe
    <400>
          48
    ggctgggaat aaaag
       15
    <210> 49
    <211>
          20
    <212> DNA
<213> artificial sequence
    <220>
    <223>
          Beta (14-15) 1 DNA probe
    <400>
          49
tactgccctg tggggcaagg
      20
¥
The fact
<210>
          50
   <211>
į.i.
          20
    <212> DNA
    <213> artificial sequence
    <220>
    <223>
          Beta (14-15) 2 DNA probe
    <400>
          50
    tactgccctg gtggggcaag
    <210> 51
    <211>
          15
    <212> DNA
    <213> artificial sequence
    <220>
    <223>
          HbE (26) 1 DNA probe
    <400>
          51
   tggtggtgag gccct
```

15

```
<210> 52
<211> 15
<212> DNA
<213> artificial sequence
<220>
<223>
      HbE (26) 2 DNA probe
<400>
       52
tggtggtaag gccct
   15
<210>
      53
<211>
      15
<212> DNA
<213> artificial sequence
<220>
<223>
      P(cs)1 DNA probe
<400>
      53
ataccgttaa gctgg
   15
<210>
      54
<211> 15
<212> DNA
<213> artificial sequence
<220>
<223>
      P(cs)2 DNA probe
<400>
       54
ataccgtcaa gctgg
   15
<210>
      55
<211>
      15
<212>
      DNA
      artificial sequence
<213>
<220>
```

```
And the start of t
```

```
<223> P(qs)1 DNA probe
<400> 55
gcctccctgg acaag
   15
<210> 56
<211> 15
<212> DNA
<213> artificial sequence
<220>
<223>
      P(qs)2 DNA probe
<400> 56
gcctccccgg acaag
   15
      57
<210>
<211>
      15
<212> DNA
<213> artificial sequence
<220>
<223>
      P(hbs)1 DNA probe
<400>
       57
actcctgagg agaag
   15
<210> 58
<211>
      15
<212> DNA
<213> artificial sequence
<220>
<223>
      P(hbs) 2 DNA probe
<400> 58
actcctgtgg agaag
   15
<210>
      59
<211>
      15
```

```
Lies door the first train that the first train the state of the soul train to the train to the train
```

```
<212> DNA
<213> artificial sequence
<220>
<223> P (duan) 1 DNA probe
<400>
      59
gtggacgaca tgccc
   15
<210> 60
<211> 15
<212> DNA
<213> artificial sequence
<220>
<223> P (duan) 2 DNA probe
<400> 60
gtggacgcca tgccc
   15
<210> 61
<211> 15
<212> DNA
<213> artificial sequence
<220>
<223> P (hbm) 1 DNA probe
<400>
     61
taagggccac ggcaa
   15
<210> 62
<211> 15
<212> DNA
<213> artificial sequence
<220>
<223> P (hbm) 2 DNA probe
<400> 62
taagggctac ggcaa
   15
```

Q --- 9

```
<210> 63
<211>
      15
<212> DNA
<213>
      artificial sequence
<220>
      P (hbm) 3 DNA probe
<223>
<400>
      63
cgacctgcac gcgca
   15
<210>
      64
<211>
      15
<212>
      DNA
<213>
      artificial sequence
<220>
<223>
      P (hbm) 4 DNA probe
<400>
      64
cgacctgtac gcgca
   15
<210>
      65
<211>
      15
<212> DNA
<213> artificial sequence
<220>
      P (hbm) 5 DNA probe
<223>
<400>
      65
aagaaagtgc tcggt
   15
<210>
      66
<211>
      15
<212> DNA
<213>
      artificial sequence
<220>
<223>
      P (hbm) 6 DNA probe
```

```
<400> 66
aagaaagagc tcggt
   15
<210>
      67
<211> 15
<212> DNA
<213> artificial sequence
<220>
     P (hbm) 7 DNA probe
<223>
<400>
     67
tgagctgcac tgtga
   15
<210>
      68
<211> 15
<212> DNA
<213> artificial sequence
<220>
<223> P (hbm) 8 DNA probe
<400>
      68
tgagctgtac tgtga
   15
<210> 69
<211> 15
<212> DNA
<213> artificial sequence
<220>
<223> P (hbm) 9 DNA probe
<400> 69
gaaggctcat ggcaa
   15
<210>
      70
<211>
       15
<212>
      DNA
```

ور دی يو

<213> Artificial sequence

<220>
<223> P (hbm) 10 DNA probe

<400> 70
gaaggcttat ggcaa
 15